

# Lightweight Positioning Backs

## The lightest back supports on the market

# 

### 3 Heights / 2 Contours



#### Fits Chair Widths

12in (30.48 cm) to 19in (48.26 cm)

#### Support Heights\*\*

Low (10in - 25.40cm)

Medium (13in - 33.02cm)

Standard (16in - 40.64cm)

#### Contour Depth

Active (2.5in - 6.35cm)

Deep (4.5in - 11.43cm)

#### Material

Carbon Fiber Material

#### Weight

.820lb (370 grams)

approx. weight of a 16in -40.64cm- standard height back

#### Note:

Custom options available

\*\* Support Heights are measured on a base shell, cushion and cover will add approximately 2.5in (6.35cm) of overall height.

# N SERIES

# 5 Heights 3 Contours

# Fits Chair Widths

10in (25.40cm) through 20in (50.80cm)

#### Support Heights\*\*

Low (10in - 25.40cm)

Medium (13in - 33.02cm)

Standard (16in - 40.64cm)

Tall (18in - 45.72cm)

Extra Tall (20in - 50.80cm)

#### Contour Depth

Active (2.5in - 6.35cm)

Deep (4.5in - 11.43cm)

Extra Deep (6in - 15.24cm)

#### HCPCS Coding (USA only)

Active: E2613

Deep / Extra Deep: E2615

#### Material

Lightweight aircraft quality aluminum

#### Weight

1.5lb (680 grams)

approx. weight of a 16in -40.64cm- standard height back

#### Note:

Custom options available

Support Heights are measured on a base shell, cushion and cover will add approximately 2.5in (6.35cm) of overall height.

#### REMOVABLE



5 Heights

3 Contours

Quick Release

1.3 lbs (589gm)



**Basic Release** AL/AFT Series Only

1.8 lbs (816gm) Removable mounting with adjustable positioning

#### **ADJUSTABLE**









4-Point PROT

1.32 lbs (596gm)

Stationary mounting with adjustable positioning Angle: 20° | Depth: 1.25in (31.75cm) | Width: +/- 1in (2.54cm)

For folding frame chair users that require angle, depth and width adjustment.

#### **FIXED**







CF Series Only



.63 lbs (285gm) .60 lbs (272gm) Stationary mounting with fixed positioning

No Adjustments

Width: +/- 1in (2.54cm)

### **Quantum Rehab®**

A Division of Pride Mobility Products 20-24 Apollo Drive, Hallam, Victoria Phone: (03) 8770 9600

Fax: (03) 9703 2960



Designed with you in mind

